Printing date 07.02.2023 Version number 1 Revision: 07.02.2023 SECTION 1: Identification of the substance/mixture and of the company/undertaking * · 1.1 Product identifier · Trade name: Aerosol SOLL Universal Prefilled · (Article number) product ID.: S700400 · 1.2 Relevant identified uses of the substance or mixture and uses advised against • Sector of Use SU21 Consumer uses: Private households / general public / consumers · Application of the substance / the mixture: painting • Uses advised against No further relevant information available. \cdot 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: UAB "HELVINA" · Parko str. 96 · LT-54464 Ramučiai · Kaunas distr., Lithuania Tel: +370 37 308 901 Fax: +370 37 308 902 info@helvina.lt www.helvina.lt · Further information obtainable from: Product safety department • 1.4 Emergency telephone number: Tel: +370 5 236 2052 / +370 687 53378 · national: National Poisons Information Service, Birmingham Tel.: 844 892 0111 · K-Nr. 0015 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame H222 Extremely flammable aerosol. Aerosol 1 H229 Pressurised container: May burst if heated. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS02 GHS07 · Signal word Danger (Contd. on page 2) GB

Printing date 07.02.2023

Version number 1

Revision: 07.02.2023

 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P271 Use only outdoors or in a well-ventilated area. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 		(Contd. of pa
acetone Hazard statements H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P271 Use only outdoors or in a well-ventilated area. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenss present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/internati	Hazard-determ	ining components of labelling:
 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P271 Use only outdoors or in a well-ventilated area. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenst present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/internati regulations. 		
 H229 Pressurised container: May burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P271 Use only outdoors or in a well-ventilated area. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/internation 	Hazard stateme	ents
 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P271 Use only outdoors or in a well-ventilated area. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/internati regulations. 	H222 Extremel	y flammable aerosol.
H336 May cause drowsiness or dizziness.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P103Read carefully and follow all instructions.P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P271Use only outdoors or in a well-ventilated area.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.P312Call a POISON CENTER/doctor if you feel unwell.P337+P313If eye irritation persists: Get medical advice/attention.P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internati regulations.	H229 Pressuris	ed container: May burst if heated.
H336 May cause drowsiness or dizziness.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P103Read carefully and follow all instructions.P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P271Use only outdoors or in a well-ventilated area.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.P312Call a POISON CENTER/doctor if you feel unwell.P337+P313If eye irritation persists: Get medical advice/attention.P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internati regulations.	H319 Causes se	erious eye irritation.
 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P271 Use only outdoors or in a well-ventilated area. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 		
 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P271 Use only outdoors or in a well-ventilated area. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	Precautionary	statements
 P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P271 Use only outdoors or in a well-ventilated area. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	•	
P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P271Use only outdoors or in a well-ventilated area.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.P312Call a POISON CENTER/doctor if you feel unwell.P337+P313If eye irritation persists: Get medical advice/attention.P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internati regulations.	P102	
smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P271Use only outdoors or in a well-ventilated area.P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.P312Call a POISON CENTER/doctor if you feel unwell.P337+P313If eye irritation persists: Get medical advice/attention.P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internati regulations.	P103	Read carefully and follow all instructions.
P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P271Use only outdoors or in a well-ventilated area.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.P312Call a POISON CENTER/doctor if you feel unwell.P337+P313If eye irritation persists: Get medical advice/attention.P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internation.	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. smoking.
P251Do not pierce or burn, even after use.P271Use only outdoors or in a well-ventilated area.P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.P312Call a POISON CENTER/doctor if you feel unwell.P337+P313If eye irritation persists: Get medical advice/attention.P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internation	P211	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.P312Call a POISON CENTER/doctor if you feel unwell.P337+P313If eye irritation persists: Get medical advice/attention.P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internation	P251	Do not pierce or burn, even after use.
present and easy to do. Continue rinsing.P312Call a POISON CENTER/doctor if you feel unwell.P337+P313If eye irritation persists: Get medical advice/attention.P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internationregulations.	P271	
P312Call a POISON CENTER/doctor if you feel unwell.P337+P313If eye irritation persists: Get medical advice/attention.P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internationalregulations.	P305+P351+P	
P410+P412Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.P501Dispose of contents/container in accordance with local/regional/national/internati regulations.	P312	Call a POISON CENTER/doctor if you feel unwell.
<i>P501 Dispose of contents/container in accordance with local/regional/national/internati</i> <i>regulations.</i>	P337+P313	If eye irritation persists: Get medical advice/attention.
regulations.	P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
•	P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
	Additional info	•

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

 $\cdot \textit{Description: Mixture of substances listed below with nonhazardous additions.}$

acetone	50 10001
Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	50-100%
limethyl ether Flam. Gas 1A, H220; Press. Gas (Comp.), H280, EUH018	25-<50%
2-methoxy-1-methylethyl acetate Flam. Liq. 3, H226	2.5-<5%
	336, EUH066 imethyl ether Flam. Gas IA, H220; Press. Gas (Comp.), H280, EUH018 -methoxy-1-methylethyl acetate

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

 \cdot 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3)

GB

Printing date 07.02.2023

Version number 1

Revision: 07.02.2023

Trade name: Aerosol SOLL Universal Prefilled

(Contd. of page 2)

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media -
- · Suitable extinguishing agents: Cool container whit water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 07.02.2023

Version number 1

Revision: 07.02.2023

Trade name: Aerosol SOLL Universal Prefilled

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

67-64-1 acetone

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

115-10-6 dimethyl ether

WEL Short-term value: 958 mg/m³, 500 ppm Long-term value: 766 mg/m³, 400 ppm

108-65-6 2-methoxy-1-methylethyl acetate

WEL Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:



When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Half mask with combination filter, class A1P2 minimum, or breathing mask with outer air supply.

· Hand protection

Protective gloves



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- · Penetration time of glove material
- Gloves must be changed after every contamination.
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- \cdot For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

butyl rubber, 0,7mm

 $(Contd. \ on \ page \ 5)$

GI

Printing date 07.02.2023

Version number 1

Revision: 07.02.2023

Trade name: Aerosol SOLL Universal Prefilled

(Contd. of page 4)

- GB

• **Eye/face protection** Safety glasses

Tightly sealed goggles

*

SECTION 9: Physical and chemical prop	perties
9.1 Information on basic physical and chemical p	
General Information	roperues
Physical state	Aerosol
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	-24.9 °C
Flammability	Not applicable.
Lower and upper explosion limit	11
Lower:	2.6 Vol % (67-64-1 acetone)
Upper:	18.6 Vol % (115-10-6 dimethyl ether)
Flash point:	<0 °C
Ignition temperature:	235 °C (115-10-6 dimethyl ether)
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	3,400 hPa (115-10-6 dimethyl ether)
Density and/or relative density	
Relative density	0.742 g/ml
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Aerosol
Important information on protection of health an environment, and on safety.	d
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
	Not determined.
Solvent content:	
Organic solvents:	100.0 %
	With propellant gas. Content given by weight.
VOC (EU)	(<i><</i> 840g/l)
	100.00 %
Solids content:	0.0~%
Change in condition	
Evaporation rate	Not applicable.

Printing date 07.02.2023

Version number 1

Revision: 07.02.2023

Trade name: Aerosol SOLL Universal Prefilled

	(Contd. of page
· Information with regard to physical hazard c	classes
· Explosives	Void
· Flammable gases	Void
·Aerosols	Extremely flammable aerosol. Pressurised container
	May burst if heated.
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamme	able
gases in contact with water	Void
• Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.
- **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

· Serious eye damage/irritation Causes serious eye irritation.

- · STOT-single exposure May cause drowsiness or dizziness.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 7)

Printing date 07.02.2023

Version number 1

Revision: 07.02.2023

Trade name: Aerosol SOLL Universal Prefilled

(Contd. of page 6)

- $\cdot \ \textbf{12.3 Bioaccumulative potential} \ No \ further \ relevant \ information \ available.$
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Ikke relevant.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- **SECTION 13: Disposal considerations**
- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1950	
· 14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
·IMDG	AEROSOLS	
·IATA	AEROSOLS, flammable	
· 14.3 Transport hazard class(es)		
· ADR		
· Class	2 5F Gases.	
· Label	2.1	
· IMDG, IATA		
· Class	2.1 Gases.	
· Label	2.1	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
	not classified	
· 14.5 Environmental hazards:		
Marine pollutant:	No	
		(Contd. on page

Printing date 07.02.2023

Version number 1

Revision: 07.02.2023

Trade name: Aerosol SOLL Universal Prefilled

	(Contd. of page
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
•	not classified
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
-	SW2 Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of
	litre:
	Segregation as for class 9. Stow "separated from" class except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2
14.7 Maritime transport in bulk according to IM instruments Transport/Additional information:	Not applicable.
	11
Limited quantities (LQ)	IL Cadar F0
Limited quantities (LQ)	Code: E0
Limited quantities (LQ) Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
Limited quantities (LQ) Excepted quantities (EQ) Transport category	Code: E0 Not permitted as Excepted Quantity 2
Limited quantities (LQ) Excepted quantities (EQ) Transport category	Code: E0 Not permitted as Excepted Quantity
Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code	Code: E0 Not permitted as Excepted Quantity 2
Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG	Code: E0 Not permitted as Excepted Quantity 2 D 1L
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity 2 D
Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Code: E0 Not permitted as Excepted Quantity 2 D 1L

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture VOC: <840g/l

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- Technical instructions (air):

Class	Share in %
NK	50-100

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

GB

Printing date 07.02.2023

Version number 1

Revision: 07.02.2023

Trade name: Aerosol SOLL Universal Prefilled

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH018 In use may form flammable/explosive vapour-air mixture.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: Product safety department

 Abbreviations and acronyms: RID: Règlement international concer

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases – Category 1A

Aerosol 1: Aerosols – Category 1

: Aerosols – Category 3

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• * Data compared to the previous version altered.